



Accurate Test Labs
1305 NW 65th Pl
Fort Lauderdale, FL 33309

(786) 599-1806
http://accuratetestlab.com
Lic# 2026-R-217916€

Certificate of Analysis

1 of 1



BPC 157 10mg

2607AFL1207.4217 | ATL-38016

PHOTO



SAMPLE INFO


Lot #	BC10-WM2608-001	Matrix	Peptide
Client	Kova Compounds	Type	Vial (Injectable)
Received	07/24/2026	Storage Cond.	
Reported	09/01/2026	Intended Use	Research Use Only
Appearance	White powder	Labeled Content	

SUMMARY

99.26%
Purity

CHROMATOGRAM

mAU



PEPTIDES

Complete

Date Tested: 07/24/2026

Compound	mg/unit	Status
BPC-157	8.68	Tested
Total	8.68	

COA-12 Peptides Rev. 2

Lise Berthe-Laurent - Laboratory
Director 09/01/2026

Abbreviations: LOQ = Limit of Quantification, LOD = Limit of Detection, ND = Not Detected, NT = Not Tested, ppm = Parts per Million, ppb = Parts per Billion, CFU/g = Colony Forming Units per Gram.

This report shall not be reproduced without written approval of Accurate Test Labs and results are confidential unless disclosure is explicitly authorized. Results relate only to the samples and batches tested. Test results are for informational purposes only and Accurate Test Labs makes no claims as to the safety or risks associated with this product. Pass/Fail results reflect compliance with applicable federal, state, tribal and local regulations unless otherwise specified. The measurement of uncertainty is not included unless explicitly required by law and is available upon request. Testing was performed using validated methodologies and is accredited pursuant to ISO/IEC 17025:2017.

Powered by confident

2607AFL1207.4217