



Accurate Test Labs
1305 NW 65th Pl
Fort Lauderdale, FL 33309

(786) 599-1806
http://accuratetestlab.com
Lic# 2026-R-217916€

Certificate of Analysis

1 of 2



TB 500 -10

2607AFL1207.4220 | ATL-38019

PHOTO



SAMPLE INFO

Lot #	BT10-WM2608-001	Matrix	Peptide
Client	Kova Compounds	Type	Vial (Injectable)
Received	07/24/2026	Storage Cond.	
Reported	09/01/2026	Intended Use	Research Use Only
Appearance	White powder	Labeled Content	

SUMMARY

99.95%
Purity


Pass
Endotoxins

Pass
Metals

Confirmed
Identity

CHROMATOGRAM

mAU



PEPTIDES

Complete

Date Tested: 07/24/2026

Compound	mg/unit	Status
TB-500	11.49	Tested
Total	11.49	

COA-12 Peptides Rev. 2

Lise Berthe-Laurent - Laboratory
Director 09/01/2026

Abbreviations: LOQ = Limit of Quantification, LOD = Limit of Detection, ND = Not Detected, NT = Not Tested, ppm = Parts per Million, ppb = Parts per Billion, CFU/g = Colony Forming Units per Gram.

This report shall not be reproduced without written approval of Accurate Test Labs and results are confidential unless disclosure is explicitly authorized. Results relate only to the samples and batches tested. Test results are for informational purposes only and Accurate Test Labs makes no claims as to the safety or risks associated with this product. Pass/Fail results reflect compliance with applicable federal, state, tribal and local regulations unless otherwise specified. The measurement of uncertainty is not included unless explicitly required by law and is available upon request. Testing was performed using validated methodologies and is accredited pursuant to ISO/IEC 17025:2017.

Powered by confident

2607AFL1207.4220



Accurate Test Labs
1305 NW 65th Pl
Fort Lauderdale, FL 33309

(786) 599-1806
<http://accuratetestlab.com>
Lic# 2026-R-217916€

Certificate of Analysis

2 of 2

METALS

Pass

Date Tested: 07/30/2026

Compound	LOQ	Limit	PPB	Status
Arsenic	63.6	1500.0	ND	Pass
Cadmium	63.6	500.0	ND	Pass
Lead	63.6	500.0	ND	Pass
Mercury	63.6	3000.0	ND	Pass
Total			0.0	

ENDOTOXINS

Pass

Date Tested: 08/04/2026

Compound	Limit	EU/mg	Status
Endotoxin	35.00	0.05	
Total		0.00	

Lise Berthe-Laurent - Laboratory
Director 09/01/2026

Abbreviations: LOQ = Limit of Quantification, LOD = Limit of Detection, ND = Not Detected, NT = Not Tested, ppm = Parts per Million, ppb = Parts per Billion, CFU/g = Colony Forming Units per Gram.

This report shall not be reproduced without written approval of Accurate Test Labs and results are confidential unless disclosure is explicitly authorized. Results relate only to the samples and batches tested. Test results are for informational purposes only and Accurate Test Labs makes no claims as to the safety or risks associated with this product. Pass/Fail results reflect compliance with applicable federal, state, tribal and local regulations unless otherwise specified. The measurement of uncertainty is not included unless explicitly required by law and is available upon request. Testing was performed using validated methodologies and is accredited pursuant to ISO/IEC 17025:2017.

Powered by confident

2607AFL1207.4220